

Product Name: Buffit Mg
Product ID #0671

SECTION I MANUFACTURER'S INFORMATION

Manufacturer's Name And Address:

NAP Chemical
 821 S. Chestnut
 Pasco, WA. 99301

Emergency Telephone Number: 509-547-8234
 Number for Information: 509-547-8234
 Date Prepared: June 14, 2007

SECTION II HAZARDOUS INGREDIENTS

Material Component	%	Exposure Limits in Air ACGIH TLV	Hazard Data: OSHA PEL	
Phosphoric Acid:	13	2	2(C)	Corrosive
Citric Acid:	2			
Surfactant Component: Linear Alcohol: Ethoxylate: (CAS No. 68131-39-5)	2.5			

**Toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Re authorization Act of 1986 and 40 CFR Part 372.(1) As Fe

SECTION III PHYSICAL DATA

Boiling Point, 760mm Hg	100°C	Melting Point	N/A
Specific Gravity	1.23	Vapor Pressure	Not Known
Vapor Density(AIR=1)	Not Known	Solubility in H2o, %	By Wt. Approx. 98%
% Volatiles By Vol.	Not Known	Evaporation Rate (Butyl Acetate=1	Not Known
Appearance & Odor	Dark Green Liquid		

SECTION IV FIRE AND EXPLOSION DATA

Flash Point (Test Method):	N/A		
Auto Ignition Temperature:	N/A		
Flammable Limits in Air,% By Vol.	Lower - N/A	Upper - N/A	
Extinguishing Media:	N/A		
Special Firefighting Procedures:	N/A		
Unusual Fire and Explosion Hazard:	N/A		

SECTION V HEALTH HAZARD INFORMATION

Symptoms of Overexposure

- Inhalation: May cause respiratory tract irritation, nausea, vomiting, weakness, fever, chills and loss of appetite. Chronic exposure may cause pneumonia, liver damage and neurologic damage.
- Skin Contact: May cause skin irritation.
- Skin Absorption: No known symptoms.
- Eye Contact: May cause eye irritation.
- Ingestion: May result in nausea, vomiting, diarrhea, blood in vomitus and stools, burning pain in the mouth and throat, abdominal pain, lethargy, confusion, edema, leukocytosis, hypergly-cemia, acidosis, shock, liver and kidney damage, and other gastrointestinal and neurologic symptoms and damage. Ingestion by a child of more than 60 ml. (2 oz.) or by an adult of more than 150 ml. (5 oz.) may be fatal.

Emergency First Aid Procedures

- Eyes: Immediately flush with water for 15 minutes, lifting eyelids to flush thoroughly.
- Skin: Wash thoroughly with water.
- Inhalation: Remove to fresh air. If breathing is difficult, contact a physician.
- Ingestion: Drink large quantities of water or milk. Follow with milk of magnesia, beaten eggs or vegetable oil. Do not induce vomiting. Contact a physician.
- Suspected Cancer Agent? No Yes

This products ingredients are not found in the lists below.

Federal OSHA NTP IARC Cal/OSHA

Medical Conditions Aggravated by Exposure - Hemchromatosis.

Notes To Physician contains citric acid (6.8 %); pH 1.7. Ingestion of more than 0.5 ml. of product per kg. body weight may result in iron toxicity.

SECTION VI REACTIVITY DATA

Stability Stable Unstable
Incompatibility (material to avoid) Avoid contact with strong alkaline materials such as caustic potash (potassium hydroxide) and caustic soda (sodium hydroxide). Mildly corrosive to common metals.
Hazardous Decomposition/Combustion Products - Oxides of sulfur and zinc.
Hazardous Polymerization - N/A

SECTION VII SPILL, LEAK AND DISPOSAL PROCEDURES

Step To Be Taken If Material Is Released Or Spilled - Neutralize with dilute alkaline solution and wash down sewer if Federal, State and local regulations permit.
Neutralizing Chemicals - Baking soda(sodium bicarbonate) , ash, or lime.
Waste Disposal Method - Follow all applicable Federal, State and local regulations.

SECTION VIII SPECIAL PROTECTION INFORMATION

Ventilation Requirements - Use general or local exhaust ventilation to meet TLV requirements.
Specific Personal Protective Equipment
Respiratory: None required where appropriate ventilation conditions exist. If the TLV is exceeded, a self-contained breathing apparatus is advised.
Eye: Safety goggles.
Gloves: Acid-resistant gloves such as rubber or neoprene.
Other Clothing And Equipment: Coats, coveralls or aprons are recommended.

SECTION IX SPECIAL PRECAUTIONS

Precautionary Statements - Avoid contact with skin, eyes or clothing. Do not ingest. Avoid inhalation of mists.
Other Handling And Storage Requirements - Keep lid tightly closed. Store in a dry area, above freezing and below 105°F, out of direct sunlight and away from strong alkalis. Keep out of reach of children.
PREPARED BY : Kyle Hartmeier
ADDRESS: NAP CHEMICAL
821 S. CHESTNUT
PASCO, WA 99301
DATE PREPARED: June 14, 2007

All information, recommendations and suggestions appearing herein concerning our products are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity and suitability for his/her own use of the product described herein. Since the actual use by others is beyond our control, we make no guarantee, expressed or implied as to the effects of such use, the results to be obtained, or the safety and toxicity of the product; nor do we assume any liability arising out of use, by others, of the product referred to herein. The information herein is not to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.